



**THE BENDING WOOD WITHOUT STEAM
IS FIRST MACHINED AND THAN BENT !**

CATALOGUE/PRICE LIST 07/2025 - 12/2026

- **HANDRAILS + PROFILES**
- **RAW MATERIAL**



Do you need advice for a specific project?
Contact our offices for a free feasibility check (drafts suffice).

IMPORTANT: bending instructions + application examples
are available at www.bendywood.com

WHAT IS BENDYWOOD®?



Bendywood® is bending wood without steam that has become flexible thanks to a special production process. It can be worked like normal wood and subsequently bent **in a cold** (no heating) **and dry** (no steaming) **condition**.

Bendywood® is bendable forever and can be stored like normal wood.

There is no difference in appearance between Bendywood® and normal wood.



Bendywood® is produced in an entirely natural way, **without the use of chemicals**.

Wood blocks are steamed, compressed in length, and dried in the compressed length.

Bending-resistant lengths up to 12 m are produced using special joints.

Here is an example of a handrail with a length of 11.7 m in one piece:
[Bendywood handrail 11,7m long in one piece pre-bent](#)

Bendywood® is available in **beech, oak, maple, ash, cherry** and **walnut**.

Bendywood® can be bent up to a radius of 1 : 10, for example thickness 10 mm to radius 100 mm.

Bendywood® is worked in straight condition first and then bent.

**DO NOT USE BENDYWOOD® OUTDOORS,
AS BENDYWOOD® IS NOT WATERPROOF.**

PRE-BENT BENDYWOOD® HANDRAILS IN LENGTHS UP TO 12.0 M

Bendywood® handrails \varnothing 30 to \varnothing 48 mm can be delivered pre-bent. This not only eliminates the need for bending but also the construction of elaborate bending templates.

How is that possible?

Bendywood® is compressed in length, which means it remains flexible.


Therefore, it does not need to be precisely pre-bent: it can be adjusted on the railing.

The special spring back properties of the Bendywood®, please see following link: [Spring-back after being taken from the moulds make this possible:](#)


- the handrails can be pre-bent flat and over-bent up to 50%: this allows space-saving shipping with manageable costs.
- exact drawings are not required. The necessary information includes the bending radii, measured flat, and the number, height, and width of the steps under the handrail.
- the handrails can be delivered pre-bent flat in the required total length of up to 12.0 m and installed on-site in a rising position on the railing.

Numerous examples are documented at www.bendywood.com, here is one of them: [Bendywood handrail 11,7m long in one piece pre-bent](#)

Delivery times are 2 weeks ex works.



pre-bent handrails on bending moulds



11,7 m handrail pre-bent on flat moulds



Prices upon request!


Bendywood® - Custom - Applications

[Lengths up to 20.0m Oak Ø42mm](#)



Italy

[Lengths up to 15.0m Maple ø40mm](#)



USA


More pictures with installation reports can be found under www.bendywood.com
Click on: **Curved handrails - Examples**

[Lengths up to 6.6m Oak 60x40](#)



Dolce Gabbana | Italy

[Lengths up to 16.0m Oak Ø48mm](#)









Monte Carlo

SHORT RADIUS HANDRAIL PARTS FROM BENDYWOOD® LAMELLAS

For small batches and prototypes, made to your specifications and supplied ready for assembly:

- angles with $R = 55 \text{ mm}+$;
- initial + end bows
- connecting bows;
- curves with bending radii smaller than 1:20
e.g. a handrail with a diameter of 40 mm bent to $R500 \text{ mm}$

Below please find a few **examples** of bent handrail parts in Bendywood®:



Wood species: beech, maple, ash, red oak, oak, American cherry, walnut, American walnut.

Diameter: from $\varnothing 30 \text{ mm}$ to $\varnothing 48 \text{ mm}$, in beech, maple and walnut to $\varnothing 55 \text{ mm}$.

Further examples can be found on the Bendywood® portal: www.bendywood.com under "Curves with tight radii"

Prices available on request

SALES CONDITIONS

VAT:

Prices are indicated without value added tax (VAT).

If no valid VAT number can be provided, the Italian VAT of 22% will be applied to these prices.

MINIMUM ORDER VALUE:

Minimum order value = 150 euros (merchandise value);

For smaller orders service charges will be invoiced:

- 40 euros for orders between 100 euros - 150 euros
- 60 euros for orders smaller than 100 euros

PAYMENT:

- Payment in advance (bank transfer).
- Open accounts only upon approval.
- According to art. 1470 and 1509 of the Italian Civil Code the goods remain property of Candidus Prugger Sas until they are fully paid.

DELIVERY TERMS:

- Prices are „ex works“ (EXW) or with a transport agent of our choice (upon approval of quotation, the freight costs are invoiced).

DEPOSITS:

- Orders for modified items will require a 50% deposit.

RETURN POLICY:

- No returns accepted on customized items.
- 30 days return policy strictly enforced.
- 15% restocking charge will apply on all returns.
- No returns accepted on material that has been worked or altered in any way.
- All returns must be properly packaged and items will be inspected upon return before a credit will be issued.
- No credit will be given on unauthorized returns.

BENDING STAIR HANDRAILS

1. BENDYWOOD® ROUND HANDRAILS WITH NORMAL JOINTS for bending



Normal Joints




ATTENTION: the bending handrails with normal joints **CANNOT** be bent with a ring rolling bending machine.

Wood species: beech, ash, oak, maple, cherry, walnut


Lengths: 200, 360, 500 and 600 cm (on request up to 12 m – in pairs)

Intermediate lengths can be supplied without surcharge, but always need to be ordered in pairs.



ADDITIONAL COSTS UPON REQUEST

Can also be supplied **cut in half**, as **half-round profiles** and with **flattening** or **groove/plow**.
Also available with **matching bending moulds**.



ATTENTION:
In case of a **profound groove/plow** and a **bending radius close to the limit**, the use of diagonally jointed handrails is recommended!

Code	Size (mm) diameter	Bendable to a radius of:	Beech	Beech for painting and dark staining	Ash Red Oak Dark White Oak	Maple White Oak American Cherry	Walnut	American Walnut
			€/m.	€/m.	€/m.	€/m.	€/m.	€/m.
NEW-P-30	ø30	600 mm	✓	✓	✓	✓	✓	✓
NEW-P-40	ø40	800 mm	✓	✓	✓	✓	✓	✓
NEW-P-42	ø42	840 mm	✓	✓	✓	✓	✓	✓
NEW-P-45	ø45	900 mm	✓	✓	✓	✓	✓	✓
	(* in 2 halves)	450 mm						
NEW-P-48	ø48	960 mm	✓	✓	✓	✓	✓	✓
	(* in 2 halves)	480 mm						
NEW-P-55	ø55	1.200 mm	✓	✓	-	-	-	-
	(* in 2 halves)	600 mm						

On request all handrail diameters from ø 20 mm up to ø 48 mm can be supplied.

Individually packed in cardboard tubes, **ready to be bent with about 12% moisture content.**

2. BENDYWOOD® SQUARE-EDGED RAW BARS WITH NORMAL JOINTS for bending



Normal Joints



ATTENTION: the bending handrails with normal joints **CANNOT** be bent with a ring rolling bending machine.

Wood species: beech, ash, oak, maple, cherry, walnut


Lengths: 200, 360, 500 and 600 cm (on request up to 12 m – in pairs)

Intermediate lengths can be supplied without surcharge, but always need to be ordered in pairs.

Raw bars **with about 8% moisture content, for the purpose of profile milling.** Packed in cardboard and ready to be machined.

ATTENTION:
In case a **flat profile** needs to be bent **close to the limit**, the use of diagonally jointed handrails is recommended!

A)



50x50 mm

80x50 mm (*)

100x50 mm (*)


60x60 mm (*)

ADDITIONAL COSTS UPON REQUEST

B) OPTION: Can also be supplied **planed (4 sides)** with **groove/plow, chamfered** or **rounded edges** with **radius 3 mm, 5 mm or 10 mm** with **12% moisture**



planed 4 sides
with groove/plow



planed 4 sides
with chamfered/rounded
edges



planed 4 sides
with chamfered/rounded
edges and groove/plow

ATTENTION:
In case of a **profound groove/plow** and a **bending radius close to the limit**, the use of diagonally jointed handrails is recommended!

Code	Size (mm)	Bendable to a radius of:	Beech	Beech for painting and dark staining	Ash Red Oak Dark White Oak	Maple White Oak American Cherry	Walnut	American Walnut
			€/m.	€/m.	€/m.	€/m.	€/m.	€/m.
NEW-50x50	ca. 50x50	1 : 20	✓	✓	✓	✓	✓	✓
NEW-80x50	ca. 80x50	1 : 20	✓	✓	-	-		
	(*) cut in half	1 : 10						
NEW-100x50	ca. 100x50	1 : 20	✓	✓	✓	✓	✓	✓
	(*) cut in half	1 : 10						
NEW-60x60	ca. 60x60	1 : 20	✓	✓	-	-		
	(*) cut in half	1 : 10						

3. BENDYWOOD® ROUND HANDRAILS WITH DIAGONAL JOINTS FOR BENDING WITH RING ROLLING BENDING MACHINE




Diagonal Joints


Bendable up to a radius of 1 : 20 at about 12% moisture content i.e. a 40 mm thick handrail up to a radius of 800 mm.

Wood species: beech, ash, oak, maple, cherry, walnut

Lengths: up to 12.0 m in one piece, according to your requirements



Can also be supplied as **half-round profiles** and with **flattening** or **groove/plow**.



Code	Size (mm) diameter	Bendable to a radius of:	Beech	Ash Red Oak	Maple White Oak	Walnut	American Walnut
			Dark White Oak	American Cherry			
			€/m.	€/m.	€/m.	€/m.	€/m.
P-40	ø40	800 mm	✓	✓	✓	✓	✓
P-42	ø42	840 mm	✓	✓	✓	✓	✓
P-45	ø45	900 mm	✓	✓	✓	✓	✓
P-48	ø48	960 mm	✓	✓	✓	✓	✓
P-55	ø55	1.200 mm	✓	-	-	-	-

Individually packed in cardboard tubes, **ready to be bent with about 12% moisture content.** The handrails should only be unpacked just before you start bending.

4. BENDYWOOD® SQUARE-EDGED RAW BARS WITH DIAGONAL JOINTS FOR BENDING WITH RING ROLLING BENDING MACHINE




Diagonal Joints

Bendable up to a radius of 1 : 20 at about 12% moisture content i.e. a 50x50 mm thick handrail up to a radius of 1.000 mm.

Wood species: beech, ash, oak, maple, cherry, walnut


Lengths: up to 12.0 m in one piece, according to your requirements

A) Raw bars with about 8% moisture content, for the purpose of profile milling. Packed in cardboard and ready to be machined.



ADDITIONAL COSTS UPON REQUEST

B) OPTION: Can also be supplied planed (4 sides) with groove/plow, chamfered or rounded edges with radius 3 mm, 5 mm or 10 mm with 12% moisture.



Code	Size (mm)	Bendable to a radius of:	Beech	Ash	Maple	Walnut	American Walnut
			Red Oak	Dark White Oak	White Oak	American Cherry	
			€/m.	€/m.	€/m.	€/m.	€/m.
REC-50x50	ca.50x50	1 : 20	✓	✓	✓	✓	✓
REC-80x50	ca.80x50	1 : 20	✓	-	-		
	(*) cut in half	1 : 10					
REC-100x50	ca.100x50	1 : 20	✓	✓	✓	✓	✓
	(*) cut in half	1 : 10					
REC-60x60	ca. 60x60	1 : 20	✓	-	-		
	(*) cut in half	1 : 10					



**5. BENDYWOOD® OMEGA HANDRAILS
in 2 halves with feather joint**



PROFILE P-6010 - 57x60mm



Available with custom groove, can be bent up to R600 mm

Lengths: up to 600 cm



Available with **matching negative profiles**

PROFILE P-6010/RH - 57x40mm



Available with **matching negative profiles**

Code	Size (mm) width x height	Bendable to a radius of:	Beech	Beech for painting and dark staining
			€/m.	€/m.
P-6010 in 2 halves with tongue	57x60	600 mm	✓	✓
P-6010/RH in 2 halves with tongue	57x40	600 mm	✓	✓


Matching bending mould:	€/m.
in Bendywood®	✓

Packed in cardboard tubes, **ready to be bent with about 12% moisture content.**
The handrails should only be unpacked just before you start bending.

PROFILE P-6210 – 67x60mm


Available with custom groove, can be bent up to R700 mm

Lengths: up to 600 cm



Available with **matching negative profiles**

PROFILE P-6210/RH - 67x40mm



Available with **matching negative profiles**

Code	Size (mm) width x height	Bendable to a radius of:	Beech	Beech for painting and dark staining
			€/m.	€/m.
P-6210 in 2 halves with tongue	67x60	700 mm	✓	✓
P-6210/RH in 2 halves with tongue	67x40	700 mm	✓	✓

Matching bending mould:	€/m.
in Bendywood®	✓

Packed in cardboard tubes, **ready to be bent with about 12% moisture content.**
The handrails should only be unpacked just before you start bending.


6. BENDYWOOD® OVAL HANDRAILS in 2 halves with feather joint



PROFILE P-6040 – 60x40mm


Available with custom groove, can be bent up to R600 mm

Lengths: up to 600 cm



PROFILE P-7045 - 70x45mm

Available with custom groove, can be bent up to R700 mm




Code	Size (mm) width x height	Bendable to a radius of:	Beech €/m.	Beech for painting and dark staining €/m.
P-6040 in 2 halves with tongue	60x40	600 mm	✓	✓
P-7045 in 2 halves with tongue	70x45	700 mm	✓	✓

Matching bending mould:	€/Mt.
in Bendywood®	✓

Packaged in cardboard tubes, ready for bending with approx. 12% wood moisture content. Only remove the handrails from the packaging when you are ready to start bending.

BENDYWOOD® - RAW WOOD

BKH




HALF BLANKS

ca. 6x12 cm

Code	Size (mm) width x height x length	Ash	Maple	American	Walnut	American
		Red Oak	Oak	Cherry		Walnut
		€/pc.	€/pc.	€/pc.	€/pc.	€/pc.
BKH40	ca.120x60x400	✓	✓	-	-	✓
BKH50	ca.120x60x500	✓	✓	-	-	✓
BKH60	ca.120x60x600	✓	✓	-	✓	✓
BKH70	ca.120x60x700	✓	✓	-	✓	✓
BKH80	ca.120x60x800	✓	✓	-	✓	✓
BKH90	ca.120x60x900	✓	✓	-	✓	✓
BKH100	ca.120x60x1000	✓	✓	✓	-	✓
BKH110	ca.120x60x1100	✓	✓	✓	-	✓
BKH130	ca.120x60x1300	✓	✓	-	-	-
BKH150	ca.120x60x1500	✓	✓	-	-	-

BKG




LARGE BLANKS

ca. 12x12 cm

Code	Size (mm) width x height x length	Beech
		€/pc.
BKG80	ca.120x120x800	-
BKG90	ca.120x120x900	-
BKG100	ca.120x120x1000	-
BKG110	ca.120x120x1100	✓
BKG130	ca.120x120x1300	✓
BKG150	ca.120x120x1500	✓
BKG165	ca.120x120x1650	✓

REC



BENDYWOOD® STRIPS BEECH (100 mm wide in lengths up to 2.0 m)

4-sides fine saw-cut


Bendable up to a radius of 1 : 10

i.e. a 10 mm thick strip can be bent up to a radius of 100 mm

Code	Size (mm) width x height x length	Beech €/m.
REC-3/110	100x3x1100	✓
REC-3/130	100x3x1300	✓
REC-3/150	100x3x1500	✓
REC-3/165	100x3x1650	✓
REC-3/200	100x3x2000	✓
REC-5/110	100x5x1100	✓
REC-5/130	100x5x1300	✓
REC-5/150	100x5x1500	✓
REC-5/165	100x5x1650	✓
REC-5/200	100x5x2000	✓
REC-8/110	100x8x1100	✓
REC-8/130	100x8x1300	✓
REC-8/150	100x8x1500	✓
REC-8/165	100x8x1650	✓
REC-8/200	100x8x2000	✓
REC-10/110	100x10x1100	✓
REC-10/130	100x10x1300	✓
REC-10/150	100x10x1500	✓
REC-10/165	100x10x1650	✓
REC-10/200	100x10x2000	✓
REC-15/110	100x15x1100	✓
REC-15/130	100x15x1300	✓
REC-15/150	100x15x1500	✓
REC-15/165	100x15x1650	✓
REC-15/200	100x15x2000	✓
REC-20/110	100x20x1100	✓
REC-20/130	100x20x1300	✓
REC-20/150	100x20x1500	✓
REC-20/165	100x20x1650	✓
REC-20/200	100x20x2000	✓
REC-26/110	100x26x1100	✓
REC-26/130	100x26x1300	✓
REC-26/150	100x26x1500	✓
REC-26/165	100x26x1650	✓
REC-26/200	100x26x2000	✓
REC-38/110	100x38x1100	✓
REC-38/130	100x38x1300	✓
REC-38/150	100x38x1500	✓
REC-38/165	100x38x1650	✓
REC-38/200	100x38x2000	✓

→ Thickness tolerance + - 0,3 mm


REC/A



BENDYWOOD® STRIPS JOINTED FLAT **ALL WOODS – 100 mm in lengths up to 6.0 m**

4-sides fine saw-cut

Bendable up to a radius of 1 : 20
i.e. a 20 mm thick strip can be bent up to a radius of 400 mm



Wood species: beech, ash, oak, maple, cherry, walnut

Raw bars with about 8% moisture content, for the purpose of profile milling.

Lengths: 200, 360, 500 and 600 cm

Heights: 20, 24, 30 and 50 mm


Code	Bendable to a radius of:	Beech	Beech for painting and dark staining	Ash Red Oak Dark White Oak	Maple White Oak American Cherry	Walnut	American Walnut
		€/Mt.	€/Mt.	€/Mt.	€/Mt.	€/Mt.	€/Mt.
REC/A-100x20	1 : 20	✓	✓	✓	✓	✓	✓
REC/A-100x24	1 : 20	✓	✓	✓	✓	✓	✓
REC/A-100x30	1 : 20	✓	✓	✓	✓	✓	✓
REC/A-100x50	1 : 20	✓	✓	✓	✓	✓	✓

For BENDING EDGES
in widths 20 mm, 24 mm, 30 mm and 50 mm

OPTION:
fine cut to thickness of your requirement

Prices upon request

REC/B




BENDYWOOD® STRIPS JOINTED VERTICAL ALL WOODS – 100 mm in lengths up to 6.0 m

4-sides fine saw-cut

Bendable up to a radius of 1 : 20

i.e. a 20 mm thick strip can be bent up to a radius of 400 mm



Wood species: beech, ash, oak, maple, cherry, walnut

Raw bars with about 8% moisture content, for the purpose of profile milling.

Lengths: 200, 360, 500 and 600 cm

Thick: 20, 24, 30 and 50 mm

Code	Bendable to a radius of:	Beech €/Mt.	Beech for painting and dark staining €/Mt.	Ash Red Oak Dark White Oak €/Mt.	Maple White Oak American Cherry €/Mt.	Walnut €/Mt.	American Walnut €/Mt.
REC/B-100x20	1 : 20	✓	✓	✓	✓	✓	✓
REC/B-100x24	1 : 20	✓	✓	✓	✓	✓	✓
REC/B-100x30	1 : 20	✓	✓	✓	✓	✓	✓
REC/B-100x50	1 : 20	✓	✓	✓	✓	✓	✓

**For BENDING EDGES
in widths from 51 mm up to 100 mm**


**OPTION:
fine cut to thickness of your requirement**

Prices upon request


BENDYWOOD® BASEBOARDS

SL BASEBOARDS

Bendable up to a radius of 1 : 10
i.e. a 10 mm thick baseboard up to a radius of 100 mm




Code	Size (mm) height x thickness x length	Beech	Oak	Ash
		€/m.	€/m.	€/m.
SL-10/110	60x10x1100	✓	✓	✓
SL-10/130	60x10x1300	✓	✓	✓
SL-10/150	60x10x1500	✓	✓	✓
SL-13/110	60x13x1100	✓	✓	-
SL-13/150	60x13x1500	✓	✓	-




Code	Size (mm) width x height x length	Oak	Ash
		€/m.	€/m.
SL-14x10/110	10x14x1100	✓	✓
SL-14x10/150	10x14x1500	✓	✓

SM SCOTIA-MOULDINGS

Bendable up to a radius of 1 : 10
i.e. a 19 mm thick Scotia-moulding up to a radius of 190 mm



Code	Size (mm) width x height x length	Beech	Oak
		€/m.	€/m.
SM-P/130	19x19x1300	✓	-











Code	Size (mm) width x height x length	Beech	Oak
		€/m.	€/m.
SM-N/130	19x19x1300	✓	-

BENDYWOOD® PROFILES

P BEECH HALFROUND



Up to 150 cm: bendable up to a radius of 1 : 10

From 250 cm upwards: jointed in length - bendable up to a radius of 1 : 40

Code		Size (mm) width x height x length	Beech €/m.
P-106-A/110		6,5x3,5x1100	✓
P-106-A/150		6,5x3,5x1500	✓
P-6/110		8x4x1100	✓
P-6/150		8x4x1500	✓
P-48-A/110		12x6x1100	✓
P-48-A/150		12x6x1500	✓
P-51/110		15x7,5x1100	✓
P-51/150		15x7,5x1500	✓
P-8/110		20x8,5x1100	✓
P-8/150		20x8,5x1500	✓
P-9/110		25x11x1100	✓
P-9/150		25x11x1500	✓
P-10/110		30x17x1100	✓
P-10/150		30x17x1500	✓
P-11/110		30x13x1100	✓
P-11/150		30x13x1500	✓

12.. BENDYWOOD® BEECH CARVED MOULDINGS

Bendable up to a radius of 1 : 10

Code		Size (mm) height x thickness x length	Beech €/m.
1230/130		ca.25x12x1300	✓
1231/130		ca.13x9x1300	✓

PVR BENDYWOOD® BEECH DOWELS

(ø5 up to ø16 mm)



Bendable up to a radius of 1 : 10
i.e. a 5 mm thick dowel up to a radius of 50 mm

Code	Size (mm) diameter x length	Beech €/m.
PVR-5/100	ø5x1000	✓
PVR-5/130	ø5x1300	✓
PVR-7/100	ø7x1000	✓
PVR-7/130	ø7x1300	✓
PVR-8/100	ø8x1000	✓
PVR-8/130	ø8x1300	✓
PVR-10/100	ø10x1000	✓
PVR-10/130	ø10x1300	✓
PVR-12,5/100	ø12,5x1000	✓
PVR-12,5/130	ø12,5x1300	✓
PVR-14/100	ø14x1000	✓
PVR-14/130	ø14x1300	✓
PVR-16/100	ø16x1000	✓
PVR-16/130	ø16x1300	✓

INDEX

	PAGE
<u>WHAT IS BENDYWOOD ?</u>	2
<u>BENDYWOOD® BENT PARTS</u>	
Pre-bent handrails	3
Bendywood® - Custom - Applications	4
Short radius handrail parts made from Bendywood® lamellas	5
<u>SALES CONDITIONS</u>	6
<u>BENDYWOOD® BENDING HANDRAILS</u>	
Bendywood® round handrails with normal joints	7
Bendywood® round handrails with diagonal joints.....	9
Bendywood® square-edged raw bars with normal joints	8
Bendywood® square-edged raw bars with diagonal joints	10
Bendywood® Omega-handrails	11-12
Bendywood® Oval-handrails.....	13
<u>BENDYWOOD® RAW WOOD</u>	
BKH Half blanks 12x6 cm.....	14
BKG Large blanks 12x12 cm.....	14
REC Beech strips (100 mm wide to 2.0 m long)	15
REC A + B Strips jointed for bending edges 100 mm wide in lengths up to 6 m in beech, ash, oak, maple, cherry and walnut	16-17
<u>BENDYWOOD® BASEBOARDS</u>	
SL Baseboards	18
SM Scotia-Mouldings	18
<u>BENDYWOOD® PROFILES</u>	
P Beech half-round	19
12.. Beech carved mouldings	19
PVR Beech dowels	20
<u>INDEX</u>	21



Bendywood® a product of Candidus Prugger Sas
Via Johann Kravogl 10 - 39042 Bressanone (BZ) - Italy
Tel: +39 0472 834530 - Fax: +39 0472 834134
bendywood@bendywood.com - www.bendywood.com